

**KLEIN**

Sliding doors with soft closing system

# UNIKGLASS+ AIR

Interior Design Glass  
Interiorismo Vidrio



**UNIKGLASS+  
AIR**



KBS +

KSC

**ENG**

Unikglass+ Air is designed to be installed on a glass wall to create environments with frameless glass panels, creating more light.

- Frameless sliding glass door system.
- Installation on 3/8", 1/2" and 5/8" glass wall.
- Anodized aluminium profile Silver or Black.
- Easy installation: the sliding glass doesn't have to be mechanized (tempered or laminated).
- 3/8" and 1/2" sliding glass panel.
- Weight up to 220 lbs.
- Height adjustment of +/- 1/8".
- Clean and innovative design.
- The bearing system allows smooth and effortless movement.
- No need for a floor track, leaving the passageway clear.
- Five-year KLEIN® warranty.
- Closing options:
  - **KSC, Klein Soft Closing:** Smooth, controlled closing. Allows for panes starting at 31 1/2" width.
  - **KBS+, Klein Brake System:** Stop with damper brake. Standard for the entire line.

Our cutting-edge hydraulic dampers with multiple springs ensure optimum performance. Choose the feature that best suits your project.


**ESP**



Unikglass+ Air está diseñado para ser instalado en pared de vidrio para crear ambientes a través de un panel de vidrio sin marco generando más iluminación.

- Sistema de una puerta corredera de vidrio sin marco.
- Instalación sobre pared de vidrio de 10,12 y 16 mm.
- Perfil de aluminio anodizado Silver y Negro.
- Fácil instalación: el vidrio no necesita ser mecanizado (templado o laminado).
- Vidrio corredero de 10 mm y 12 mm.
- Peso hasta 100 Kg.
- Regulación de la altura de +/- 3mm.
- Diseño limpio e innovador.
- El sistema de rodamientos permite un suave movimiento sin esfuerzos.
- No necesita riel en el suelo con lo que dejamos limpia la zona de paso.
- Garantía KLEIN® 5 años.
- Opciones de frenado de la puerta:
  - **KSC, Klein Soft Closing:** Detención suave controlada. Admite hojas desde 80 cm de ancho.
  - **KBS+, Klein Brake System:** Tope con freno amortiguador. De serie en toda la gama.

Nuestros amortiguadores hidráulicos de última generación y muelles múltiples aseguran un funcionamiento óptimo. Elige la prestación que más se adecúa a tu proyecto.

**UNIKGLASS + AIR**







Gama	Track	L Fixed Glass 3/8"-1/2"	L Fixed Glass 5/8"
G1	78 3/4"	Min. 32 5/16" Max. 38 3/16"	Min. 33 7/8" Max. 38 3/16"
G2	98 3/8"	Min. 40 3/16" Max. 48"	Min. 41 3/4" Max. 48"
G3	118 1/8"	Min. 51 3/16" Max. 57 7/8"	Min. 52 3/4" Max. 57 7/8"

DO NOT CUT THE TRACK / NO CORTAR EL PERFIL


FIXED GLASS 3/8" / VIDRIO FIJO 10 mm



FIXED GLASS 1/2" / VIDRIO FIJO 12 mm



FIXED GLASS 5/8" / VIDRIO FIJO 16 mm



CHECK THE MOUNTING INSTRUCTIONS TO SIZE THE GLASS PANELS  
DIMENSIONS IN INCHES ARE APPROXIMATE

## REFERENCES / REFERENCIAS

## ENG

UNIKGLASS+ AIR SILVER (3/8" - 1/2" FIXED GLASS)			
Ref.	Description	Units	Img.
8470	KIT UNIKGLASS+ AIR G1 KBS+ 78" TRACK	1	A+C
8471	KIT UNIKGLASS+ AIR G2 KBS+ 98" TRACK	1	A+C
8472	KIT UNIKGLASS+ AIR G3 KBS+ 118" TRACK	1	A+C
8475	KIT UNIKGLASS+ AIR G1 KSC 78" TRACK	1	A+D
8476	KIT UNIKGLASS+ AIR G2 KSC 98" TRACK	1	A+D
8477	KIT UNIKGLASS+ AIR G3 KSC 118" TRACK	1	A+D

UNIKGLASS+ AIR SILVER (5/8" FIXED GLASS)			
Ref.	Description	Units	Img.
8480	KIT UNIKGLASS+ AIR G1 KBS+ 78" TRACK	1	A+C
8481	KIT UNIKGLASS+ AIR G2 KBS+ 98" TRACK	1	A+C
8482	KIT UNIKGLASS+ AIR G3 KBS+ 118" TRACK	1	A+C
8485	KIT UNIKGLASS+ AIR G1 KSC 78" TRACK	1	A+D
8486	KIT UNIKGLASS+ AIR G2 KSC 98" TRACK	1	A+D
8487	KIT UNIKGLASS+ AIR G3 KSC 118" TRACK	1	A+D

## ESP

UNIKGLASS+ AIR SILVER (3/8" - 1/2" FIXED GLASS)			
Ref.	Descripción	U.	Img.
8470	KIT UNIKGLASS+ AIR G1 KBS+ 78" TRACK	1	A+C
8471	KIT UNIKGLASS+ AIR G2 KBS+ 98" TRACK	1	A+C
8472	KIT UNIKGLASS+ AIR G3 KBS+ 118" TRACK	1	A+C
8475	KIT UNIKGLASS+ AIR G1 KSC 78" TRACK	1	A+D
8476	KIT UNIKGLASS+ AIR G2 KSC 98" TRACK	1	A+D
8477	KIT UNIKGLASS+ AIR G3 KSC 118" TRACK	1	A+D

UNIKGLASS+ AIR SILVER (5/8" FIXED GLASS)			
Ref.	Descripción	U.	Img.
8480	KIT UNIKGLASS+ AIR G1 KBS+ 78" TRACK	1	A+C
8481	KIT UNIKGLASS+ AIR G2 KBS+ 98" TRACK	1	A+C
8482	KIT UNIKGLASS+ AIR G3 KBS+ 118" TRACK	1	A+C
8485	KIT UNIKGLASS+ AIR G1 KSC 78" TRACK	1	A+D
8486	KIT UNIKGLASS+ AIR G2 KSC 98" TRACK	1	A+D
8487	KIT UNIKGLASS+ AIR G3 KSC 118" TRACK	1	A+D

UNIKGLASS+ AIR BLACK (3/8" - 1/2" FIXED GLASS)			
Ref.	Description	Units	Img.
8410	KIT UNIKGLASS+ AIR G1 KBS+ 78" TRACK	1	B+E
8411	KIT UNIKGLASS+ AIR G2 KBS+ 98" TRACK	1	B+E
8412	KIT UNIKGLASS+ AIR G3) KBS+ 118" TRACK	1	B+E
8415	KIT UNIKGLASS+ AIR G1 KSC 78" TRACK	1	B+F
8416	KIT UNIKGLASS+ AIR G2 KSC 98" TRACK	1	B+F
8417	KIT UNIKGLASS+ AIR G3 KSC 118" TRACK	1	B+F

UNIKGLASS+ AIR BLACK (5/8" FIXED GLASS)			
Ref.	Description	Units	Img.
8420	KIT UNIKGLASS+ AIR G1 KBS+ 78" TRACK	1	B+E
8421	KIT UNIKGLASS+ AIR G2 KBS+ 98" TRACK	1	B+E
8422	KIT UNIKGLASS+ AIR G3 KBS+ 118" TRACK	1	B+E
8425	KIT UNIKGLASS+ AIR G1 KSC 78" TRACK	1	B+F
8426	KIT UNIKGLASS+ AIR G2 KSC 98" TRACK	1	B+F
8487	KIT UNIKGLASS+ AIR G3 KSC 118" TRACK	1	B+F

UNIKGLASS+ AIR NEGRO (3/8" - 1/2" FIXED GLASS)			
Ref.	Descripción	U.	Img.
8410	KIT UNIKGLASS+ AIR G1 KBS+ 78" TRACK	1	B+E
8411	KIT UNIKGLASS+ AIR G2 KBS+ 98" TRACK	1	B+E
8412	KIT UNIKGLASS+ AIR G3 KBS+ 118" TRACK	1	B+E
8415	KIT UNIKGLASS+ AIR G1 KSC 78" TRACK	1	B+F
8416	KIT UNIKGLASS+ AIR G2 KSC 98" TRACK	1	B+F
8417	KIT UNIKGLASS+ AIR G3 KSC 118" TRACK	1	B+F

UNIKGLASS+ AIR NEGRO (5/8" FIXED GLASS)			
Ref.	Descripción	U.	Img.
8420	KIT UNIKGLASS+ AIR G1 KBS+ 78" TRACK	1	B+E
8421	KIT UNIKGLASS+ AIR G2 KBS+ 98" TRACK	1	B+E
8422	KIT UNIKGLASS+ AIR G3 KBS+ 118" TRACK	1	B+E
8425	KIT UNIKGLASS+ AIR G1 KSC 78" TRACK	1	B+F
8426	KIT UNIKGLASS+ AIR G2 KSC 98" TRACK	1	B+F
8487	KIT UNIKGLASS+ AIR G3 KSC 118" TRACK	1	B+F


REFERENCES / REFERENCIAS




A




B




C




D



E



F



# KLEIN

**KLEIN USA, Inc.®**  
1 Madison Street  
East Rutherford, NJ 07073

Phone: 973 246 8181  
Fax: 973 246 8362  
info@klein-usa.com  
**www.klein-usa.com**

Follow us on social media  
Síguenos en redes

