

KLEIN®

Sistema de puertas correderas
Sliding doors system
Système de porte coulissantes

SENSUS

Interiorismo Madera
Interior Design Wood
Décoration d'Intérieur Bois

ES

SENSUS permite dividir ambientes mediante un único panel corredero de madera. Compacto y robusto, sencillo y funcional, SENSUS resiste los usos más intensivos y reúne todos los criterios de excelencia KLEIN.

- Instalación a techo o a pared con aplicación:
 - Superior o
 - Retrac: con herrajes empotrados en la puerta para reducir a 4mm la separación entre el perfil y la puerta.
- Para paneles de 40 y 80kg.
- Sistema compacto para un diseño minimalista.
- Apertura y deslizamiento suave, particularmente silencioso gracias a la nueva tecnología de deslizamiento por fricción.
- Montaje rápido e intuitivo para una ejecución eficiente.
- Sistema compacto para un diseño minimalista.
- Ausencia de guía en el suelo para liberar la zona de paso.
- Perfil de aluminio anodizado Silver
- Garantía KLEIN® 5 años.

Sistemas testados más de 100.000 ciclos según la norma EN1527.

ENG

SENSUS allows you to divide rooms with a single sliding wood panel. Compact and robust, simple and functional, SENSUS resists even the most intensive uses and meets all of KLEIN's criteria for excellence.

- Ceiling or wall installation in either of the following versions:
 - Upper or
 - Retrac: with fittings built into the door to reduce the separation between the profile and the door to 4 mm.
- For panels weighing 40 to 80 kg.
- Smooth opening and sliding, particularly silent thanks to our new frictional sliding technology.
- Quick, intuitive assembly for efficient implementation.
- Compact system for a minimalist design.
- Absence of any floor tracks to keep the passage area clear.
- Silver anodized aluminum profile.
- Five-year KLEIN® warranty.

Systems tested to over 100,000 cycles, in accordance with the EN 1527 standard.

FR

SENSUS permet de diviser les pièces au moyen d'un seul panneau coulissant en bois. Compact et robuste, simple et fonctionnel, SENSUS résiste à l'utilisation la plus intensive et répond à tous les critères d'excellence de KLEIN.

- Deux versions disponibles, toutes deux pour pose au plafond ou au mur, au choix:
 - Superior ou
 - Retrac : l'encastrement des ferrures dans la porte permet de réduire l'espace entre le profilé et la porte à 4 mm.
- Convient aux panneaux de 40 et 80 kg.
- Ouverture et coulissement en douceur, particulièrement silencieux grâce à la nouvelle technologie de coulissement par friction.
- Montage rapide et intuitif pour faciliter la mise en place.
- Système compact permettant un design minimaliste.
- Pas de rail au sol, pour dégager la zone de passage.
- Profilé en aluminium anodisé Silver.
- Garantie KLEIN® de 5 ans.

Systèmes testés pour plus de 100 000 cycles conformément à la norme EN1527.



Especificaciones Técnicas

Technical Specifications | Spécifications Techniques



SENSUS 40

 31 x 30 mm 1 1/4" x 1 3/8"
 Peso máximo puerta 40 kg Maximum door weight 88 lbs
 Espesor puerta min. 25 mm Door thickness min 1"


SENSUS 80

 40 x 34 mm 1 9/16" x 1 3/8"
 Peso máximo puerta 80 kg Maximum door weight 176 lbs
 Espesor puerta min. 25 mm Door thickness min 1"


DOCUMENTACIÓN TÉCNICA

Technical Documentation | Documentation Technique


SENSUS 40



- Secciones | Sections | Profil Encastré




SUPERIOR



Perfil Soporte 6mm | Wall Support Profile 6 mm | Profil de Support 6 mm Perfil Soporte 17 mm | Wall Support Profile 17 mm | Profil de Support 17 mm

RETRAC




Perfil Soporte 6mm | Wall Support Profile 6 mm | Profil de Support 6 mm Perfil Soporte 17 mm | Wall Support Profile 17 mm | Profil de Support 17 mm


DOCUMENTACIÓN TÉCNICA

Technical Documentation | Documentation Technique


SENSUS 80



- Secciones | Sections | Sections




SUPERIOR



Perfil Soporte 6mm | Wall Support Profile 6 mm | Profil de Support 6 mm Perfil Soporte 17 mm | Wall Support Profile 17 mm | Profil de Support 17 mm

RETRAC



Perfil Soporte 6mm | Wall Support Profile 6 mm | Profil de Support 6 mm Perfil Soporte 17 mm | Wall Support Profile 17 mm | Profil de Support 17 mm

Detalles

Details | Détails



SENSUS 40 RETRAC



SENSUS 40 SUPERIOR



SENSUS 80 RETRAC



SENSUS 80 SUPERIOR

Proyectos

Projects | Projets



SENSUS 80 SUPERIOR



SENSUS 80 RETRAC

Referencias

References | Références

ES

Distribución

PERFILERIA			
Ref.	Descripción	U.	Img.
3792	PF. SENSUS 40 NATURAL 2m	1	I
3793	PF. SENSUS 40 NATURAL 3m	1	I
3862	PF. SENSUS 80 NATURAL 2m	1	L
3863	PF. SENSUS 80 NATURAL 3m	1	L
3867	PF. SENSUS 40 SILVER 2m	1	I
3868	PF. SENSUS 40 SILVER 3m	1	I
3797	PF. SENSUS 80 SILVER 2m	1	L
3798	PF. SENSUS 80 SILVER 3m	1	L

JUEGO DE ACCESORIOS			
Ref.	Descripción	U.	Img.
3779	JGO. ACC. SENSUS 40 SUPERIOR	2	J
3780	JGO. ACC. SENSUS 40 RETRAC	2	K
3823	JGO. ACC. SENSUS 80 SUPERIOR	2	M
3824	JGO. ACC. SENSUS 80 RETRAC	2	N

ACCESORIOS COMPATIBLES

SOPORTE PARED			
Ref.	Descripción	U.	Img.
3387	SOPORTE PARED 6mm	10	G
2135	SOPORTE PARED 17mm	10	H

Tienda Online

SENSUS 40 SUPERIOR			
Ref.	Descripción	U.	Img.
3700	KIT SENSUS 40 SUPERIOR NATURAL 1,80m	1	A
3706	KIT SENSUS 40 SUPERIOR NATURAL 2,40m	1	A
3714	KIT SENSUS 40 SUPERIOR NATURAL 2,80m	1	A
3715	KIT SENSUS 40 SUPERIOR NATURAL 3,40m	1	A
3716	KIT SENSUS 40 SUPERIOR SILVER 1,80m	1	A
3718	KIT SENSUS 40 SUPERIOR SILVER 2,40m	1	A
3719	KIT SENSUS 40 SUPERIOR SILVER 2,80m	1	A
3748	KIT SENSUS 40 SUPERIOR SILVER 3,40m	1	A

SENSUS 80 SUPERIOR			
Ref.	Descripción	U.	Img.
3800	KIT SENSUS 80 SUPERIOR NATURAL 1,80m	1	C
3801	KIT SENSUS 80 SUPERIOR NATURAL 2,40m	1	C
3802	KIT SENSUS 80 SUPERIOR NATURAL 2,80m	1	C
3803	KIT SENSUS 80 SUPERIOR NATURAL 3,40m	1	C
3804	KIT SENSUS 80 SUPERIOR SILVER 4,00m	1	C
3805	KIT SENSUS 80 SUPERIOR SILVER 1,80m	1	C
3806	KIT SENSUS 80 SUPERIOR SILVER 2,40m	1	C
3810	KIT SENSUS 80 SUPERIOR SILVER 2,80m	1	C
3811	KIT SENSUS 80 SUPERIOR SILVER 3,40m	1	C

SENSUS 40 RETRAC			
Ref.	Descripción	U.	Img.
3749	KIT SENSUS 40 RETRAC SILVER 1,80m	1	B
3750	KIT SENSUS 40 RETRAC SILVER 2,40m	1	B
3755	KIT SENSUS 40 RETRAC SILVER 2,80m	1	B
3759	KIT SENSUS 40 RETRAC SILVER 3,40m	1	B

SENSUS 80 RETRAC			
Ref.	Descripción	U.	Img.
3813	KIT SENSUS 80 RETRAC SILVER 1,80m	1	D
3814	KIT SENSUS 80 RETRAC SILVER 2,40m	1	D
3815	KIT SENSUS 80 RETRAC SILVER 2,80m	1	D
3816	KIT SENSUS 80 RETRAC SILVER 3,40m	1	D
3817	KIT SENSUS 80 RETRAC SILVER 4,00m	1	D

SENSUS 40 DUO RETRAC			
Ref.	Descripción	U.	Img.
3760	KIT SENSUS 40 DUO RETRAC SILVER 4m	1	E
3769	KIT SENSUS 40 DUO RETRAC SILVER 6m	1	E

SENSUS 80 DUO RETRAC			
Ref.	Descripción	U.	Img.
3818	KIT SENSUS 80 DUO RETRAC SILVER 4m	1	F
3820	KIT SENSUS 80 DUO RETRAC SILVER 6m	1	F

ACCESORIOS			
Ref.	Descripción	U.	Img.
3387	SOPORTE PARED 6mm	10	G
2135	SOPORTE PARED 17mm	10	H

ENG

Distribution

PROFILES			
Ref.	Description	U.	Img.
3792	PF. SENSUS 40 NATURAL 2m	1	I
3793	PF. SENSUS 40 NATURAL 3m	1	I
3862	PF. SENSUS 80 NATURAL 2m	1	L
3863	PF. SENSUS 80 NATURAL 3m	1	L
3867	PF. SENSUS 40 SILVER 2m	1	I
3868	PF. SENSUS 40 SILVER 3m	1	I
3797	PF. SENSUS 80 SILVER 2m	1	L
3798	PF. SENSUS 80 SILVER 3m	1	L

SET ACCESSORIES			
Ref.	Description	U.	Img.
3779	SET . ACC. SENSUS 40 SUPERIOR	2	J
3780	SET . ACC. SENSUS 40 RETRAC	2	K
3823	SET . ACC. SENSUS 80 SUPERIOR	2	M
3824	SET . ACC. SENSUS 80 RETRAC	2	N

COMPATIBLE ACCESSORY

WALL BRACKET			
Ref.	Description	U.	Img.
3387	WALL BRACKET 6mm	10	G
2135	WALL BRACKET 17mm	10	H

List by Kit

SENSUS 40 SUPERIOR			
Ref.	Description	U.	Img.
3700	KIT SENSUS 40 SUPERIOR NATURAL 1,80m	1	A
3706	KIT SENSUS 40 SUPERIOR NATURAL 2,40m	1	A
3714	KIT SENSUS 40 SUPERIOR NATURAL 2,80m	1	A
3715	KIT SENSUS 40 SUPERIOR NATURAL 3,40m	1	A
3716	KIT SENSUS 40 SUPERIOR SILVER 1,80m	1	A
3718	KIT SENSUS 40 SUPERIOR SILVER 2,40m	1	A
3719	KIT SENSUS 40 SUPERIOR SILVER 2,80m	1	A
3748	KIT SENSUS 40 SUPERIOR SILVER 3,40m	1	A

SENSUS 80 SUPERIOR			
Ref.	Description	U.	Img.
3800	KIT SENSUS 80 SUPERIOR NATURAL 1,80m	1	C
3801	KIT SENSUS 80 SUPERIOR NATURAL 2,40m	1	C
3802	KIT SENSUS 80 SUPERIOR NATURAL 2,80m	1	C
3803	KIT SENSUS 80 SUPERIOR NATURAL 3,40m	1	C
3804	KIT SENSUS 80 SUPERIOR SILVER 4,00m	1	C
3805	KIT SENSUS 80 SUPERIOR SILVER 1,80m	1	C
3806	KIT SENSUS 80 SUPERIOR SILVER 2,40m	1	C
3810	KIT SENSUS 80 SUPERIOR SILVER 2,80m	1	C
3811	KIT SENSUS 80 SUPERIOR SILVER 3,40m	1	C
3812	KIT SENSUS 80 SUPERIOR SILVER 4,00m	1	C

SENSUS 40 RETRAC			
Ref.	Description	U.	Img.
3749	KIT SENSUS 40 RETRAC SILVER 1,80m	1	B
3750	KIT SENSUS 40 RETRAC SILVER 2,40m	1	B
3755	KIT SENSUS 40 RETRAC SILVER 2,80m	1	B
3759	KIT SENSUS 40 RETRAC SILVER 3,40m	1	B

SENSUS 80 RETRAC			
Ref.	Description	U.	Img.
3813	KIT SENSUS 80 RETRAC SILVER 1,80m	1	D
3814	KIT SENSUS 80 RETRAC SILVER 2,40m	1	D
3815	KIT SENSUS 80 RETRAC SILVER 2,80m	1	D
3816	KIT SENSUS 80 RETRAC SILVER 3,40m	1	D
3817	KIT SENSUS 80 RETRAC SILVER 4,00m	1	D

SENSUS 40 DUO RETRAC			
Ref.	Description	U.	Img.
3760	KIT SENSUS 40 DUO RETRAC SILVER 4m	1	E
3769	KIT SENSUS 40 DUO RETRAC SILVER 6m	1	E

SENSUS 80 DUO RETRAC			
Ref.	Description	U.	Img.
3818	KIT SENSUS 80 DUO RETRAC SILVER 4m	1	F
3820	KIT SENSUS 80 DUO RETRAC SILVER 6m	1	F

ACCESSORY			
Ref.	Description	U.	Img.
3387	WALL BRACKET 6mm	10	G
2135	WALL BRACKET 17mm	10	H

Referencias

References | Références

FR

Distribution

PROFILAGE			
Ref.	Description	Unités	Img.
3700	RAIL SENSUS 40 NATURAL 2m	1	I
3706	RAIL SENSUS 40 NATURAL 3m	1	I
3714	RAIL SENSUS 80 NATURAL 2m	1	L
3715	RAIL SENSUS 80 NATURAL 3m	1	L
3716	RAIL SENSUS 40 SILVER 2m	1	I
3718	RAIL SENSUS 40 SILVER 3m	1	I
3719	RAIL SENSUS 80 SILVER 2m	1	L
3748	RAIL SENSUS 80 SILVER 3m	1	L

JEU D'ACCESSOIRES			
Ref.	Description	Unités	Img.
3779	JEU. ACC. SENSUS 40 SUPERIOR	2	J
3780	JEU. ACC. SENSUS 40 RETRAC	2	K
3823	JEU. ACC. SENSUS 80 SUPERIOR	2	M
3824	JEU. ACC. SENSUS 80 RETRAC	2	N

ACCESSOIRES COMPATIBLES

SUPPORT MURAL			
Ref.	Description	Unités	Img.
3387	SUPPORT MURAL 6mm	10	G
2135	SUPPORT MURAL 17mm	10	H

Boutique en ligne

SENSUS 40 SUPERIOR			
Ref.	Description	Unités	Img.
3700	KIT SENSUS 40 SUPERIOR NATURELLE 1,80m	1	A
3706	KIT SENSUS 40 SUPERIOR NATURELLE 2,40m	1	A
3714	KIT SENSUS 40 SUPERIOR NATURELLE 2,80m	1	A
3715	KIT SENSUS 40 SUPERIOR NATURELLE 3,40m	1	A
3716	KIT SENSUS 40 SUPERIOR SILVER 1,80m	1	A
3718	KIT SENSUS 40 SUPERIOR SILVER 2,40m	1	A
3719	KIT SENSUS 40 SUPERIOR SILVER 2,80m	1	A
3748	KIT SENSUS 40 SUPERIOR SILVER 3,40m	1	A

SENSUS 80 SUPERIOR			
Ref.	Description	Unités	Img.
3800	KIT SENSUS 80 SUPERIOR NATURELLE 1,80m	1	C
3801	KIT SENSUS 80 SUPERIOR NATURELLE 2,40m	1	C
3802	KIT SENSUS 80 SUPERIOR NATURELLE 2,80m	1	C
3803	KIT SENSUS 80 SUPERIOR NATURELLE 3,40m	1	C
3804	KIT SENSUS 80 SUPERIOR SILVER 4,00m	1	C
3805	KIT SENSUS 80 SUPERIOR SILVER 1,80m	1	C
3806	KIT SENSUS 80 SUPERIOR SILVER 2,40m	1	C
3810	KIT SENSUS 80 SUPERIOR SILVER 2,80m	1	C
3811	KIT SENSUS 80 SUPERIOR SILVER 3,40m	1	C
3812	KIT SENSUS 80 SUPERIOR SILVER 4,00m	1	C

SENSUS 40 RETRAC			
Ref.	Description	Unités	Img.
3749	KIT SENSUS 40 RETRAC SILVER 1,80m	1	B
3750	KIT SENSUS 40 RETRAC SILVER 2,40m	1	B
3755	KIT SENSUS 40 RETRAC SILVER 2,80m	1	B
3759	KIT SENSUS 40 RETRAC SILVER 3,40m	1	B

SENSUS 80 RETRAC			
Ref.	Description	Unités	Img.
3813	KIT SENSUS 80 RETRAC SILVER 1,80m	1	D
3814	KIT SENSUS 80 RETRAC SILVER 2,40m	1	D
3815	KIT SENSUS 80 RETRAC SILVER 2,80m	1	D
3816	KIT SENSUS 80 RETRAC SILVER 3,40m	1	D
3817	KIT SENSUS 80 RETRAC SILVER 4,00m	1	D

SENSUS 40 DUO RETRAC			
Ref.	Description	Unités	Img.
3760	KIT SENSUS 40 DUO RETRAC SILVER 4m	1	E
3769	KIT SENSUS 40 DUO RETRAC SILVER 6m	1	E

SENSUS 80 DUO RETRAC			
Ref.	Description	Unités	Img.
3818	KIT SENSUS 80 DUO RETRAC SILVER 4m	1	F
3820	KIT SENSUS 80 DUO RETRAC SILVER 6m	1	F

ACCESSOIRES			
Ref.	Description	Unités	Img.
3387	SUPPORT MURAL 6mm	10	G
2135	SUPPORT MURAL 17mm	10	H



A



B



C



D



E



F



G



H




I



J



K



L



M



N

KLEIN®

KLEIN EUROPE
Edificio KLEIN
Polígono Industrial Can Cuyás
N-150 Km. 1
08110 Montcada i Reixac
Barcelona (Spain)

Tel: +34 935 760 101
Fax: +34 935 760 109

+Info
klein@klein.es
www.klein.es

Síguenos en redes
Follow us on social media



KLEIN USA, Inc.®
1 Madison Street
East Rutherford, NJ 07073

Phone: 973 246 8181
Fax: 973 246 8362

+Info
info@klein-usa.com
www.klein-usa.com

Follow us on social media
Síguenos en redes

