

**KLEIN**

Sliding doors with soft closing system



# ROLLGLASS+


Interior Design Glass  
Interiorismo vidrio



reddot award 2018  
winner



SILVER



BRONZE



BLACK



KBS



KSC

## ENG

**Rollglass+:** creates a glass front that combines fixed and mobile glass panels on a single track. It can be hidden in a drop ceiling for a completely minimalist effect. Versatile and flexible, it allows for various combinations, down to the smallest detail.

- Installation on ceiling or in drop ceiling.
- Special profile with hidden dropped ceiling wings for maximum architectural integration.
- A new clamp which centralises all features of the system: height adjust, activation of the braking mechanism, and anti-derailing device.
- Fast and intuitive assembly for efficient implementation:
  - Direct access to the clamp.
  - System embedded in drop ceiling: two-phase assembly for easy installation.
  - Bottom profile in a double "L" shape for easy frontal insertion of the glass.
- Clean, innovative design.
- Available with or without bottom profile for the fixed glass.
- 3/8" or 1/2" glass, weighing up to 550 lbs per sliding panel.
- Height adjustment of +/- 1/8".
- Silver, Black and Bronze anodized aluminum profiles.
- Silent and effortless sliding.
- Cradle To Cradle certified product for Rollglass+ 50 and 100.
- Five-year KLEIN® warranty.
- Soft closing options:
  - **KSC, Klein Soft Closing:** Smooth, controlled closing.
  - **KBS, Klein Brake System:** Stop with damper brake. Standard for the entire line.

Systems tested up to 100,000 cycles as per standard EN1527 by


## ESP

**Rollglass+:** crea un frente acristalado que combina paneles de vidrio fijos y móviles mediante una única guía. Puede esconderse en falso techo para un efecto absolutamente minimalista. Versátil y flexible, permite variadas combinaciones y cuida todos los detalles.


- Instalación a techo o a falso techo.
- Perfil especial para falso techo, con aletas escondidas para una máxima integración arquitectónica.
- Nueva mordaza: centraliza todas las prestaciones del sistema: regulación en altura, activación del mecanismo de frenado, y dispositivo antidescargamiento.
- Montaje rápido e intuitivo:
  - Acceso directo a la mordaza.
  - Sistema empotrado a falso techo: montaje en dos fases para una instalación eficiente.
  - Perfil inferior en "L" para una fácil inserción frontal del vidrio.
- Diseño limpio e innovador.
- Disponible con o sin perfil inferior para el vidrio fijo.
- Vidrio de 3/8" o 1/2", hasta 550 lbs por hoja corredera.
- Regulación de la altura de +/- 1/8".
- Perfil de aluminio anodizado Silver, Negro y Bronce.
- Deslizamiento silencioso y con mínimo esfuerzo.
- Producto certificado con Cradle To Cradle para Rollglass+ 50 y 100.
- Garantía KLEIN® 5 años.
- Opciones de frenado de la puerta:
  - **KSC, Klein Soft Closing:** Detención suave controlada.
  - **KBS, Klein Brake System:** Tope con freno amortiguador. De serie en toda la gama.\*

Sistemas testados hasta 100.000 ciclos según la norma EN1527 por IFT Rosenheim.


## ROLLGLASS+ 50




## ROLLGLASS+ 100



## ROLLGLASS+ 150



## ROLLGLASS+ 250



3/8" - Just compatible with Rollglass+ 150 exposed / 3/8" - Solo compatible con Rollglass+ 150 visto


Exposed / Visto




$Y1 = H1 - 57 \text{ mm (2 1/4")}$

$Z1 = H1 - 89 \text{ mm (3 1/2")}$

ROLLGLASS+ 250



ROLLGLASS+ 100





$Y1 = H1 - 47 \text{ mm (1 13/16")}$

$Z1 = H1 - 74 \text{ mm (2 7/8")}$

$Z = H - 79 \text{ mm (3 1/8")}$

$Y1 = H - 54 \text{ mm (2 1/8")}$


ROLLGLASS+ 150



**KSC** ROLLGLASS+ 50/100  $V \geq 800 \text{ mm (31 1/2")}$

**KSC** ROLLGLASS+ 150  $V \geq 1.000 \text{ mm (39")}$

**KSC** ROLLGLASS+ 250  $V \geq 1.500 \text{ mm (60")}$




Recessed / Empotrado




$Y2 = H2 + 34 \text{ mm (1 11/32")}$

$Z2 = H2$

ROLLGLASS+ 250





ROLLGLASS+ 100




Y2 / Z2  
See our mounting instructions /  
Ver nuestra hoja de instrucciones

ROLLGLASS+ 150 TOP



- KSC** ROLLGLASS+ 50/100  $V \geq 800 \text{ mm (31 1/2")}$
- KSC** ROLLGLASS+ 150  $V \geq 1.100 \text{ mm (43")}$
- KSC** ROLLGLASS+ 250  $V \geq 1.500 \text{ mm (60")}$



## REFERENCES / REFERENCIAS

## ENG

| ROLLGLASS+ 100 SILVER |                             |       |      |
|-----------------------|-----------------------------|-------|------|
| Ref.                  | Description                 | Units | Img. |
| 8453                  | KIT RG+ 100 KSC 118" TRACKS | 1     | A+E  |
| 8454                  | KIT RG+ 100 KSC 157" TRACKS | 1     | A+E  |
| 8463                  | KIT RG+ 100 KBS 118" TRACKS | 1     | A+F  |
| 8464                  | KIT RG+ 100 KBS 157" TRACKS | 1     | A+F  |
| 2493                  | RECESSED TRACK RG+ 118"     | 1     | B    |
| 2494                  | RECESSED TRACK RG+ 157"     | 1     | B    |
| 8400                  | SET OF ACC. RG+ 100 KSC     | 1     | E    |
| 8450                  | SET OF ACC. RG+ 100 KBS     | 1     | F    |

| ROLLGLASS+ 100 BRONZE |                             |       |      |
|-----------------------|-----------------------------|-------|------|
| Ref.                  | Description                 | Units | Img. |
| 8455                  | KIT RG+ 100 KSC 118" TRACKS | 1     | C+G  |
| 8456                  | KIT RG+ 100 KSC 157" TRACKS | 1     | C+G  |
| 8465                  | KIT RG+ 100 KBS 118" TRACKS | 1     | C+H  |
| 8466                  | KIT RG+ 100 KBS 157" TRACKS | 1     | C+H  |
| 8401                  | SET OF ACC. RG+ 100 KSC     | 1     | G    |
| 8451                  | SET OF ACC. RG+ 100 KBS     | 1     | H    |

| ROLLGLASS+ 100 BLACK |                             |       |      |
|----------------------|-----------------------------|-------|------|
| Ref.                 | Description                 | Units | Img. |
| 8457                 | KIT RG+ 100 KSC 118" TRACKS | 1     | D+I  |
| 8458                 | KIT RG+ 100 KSC 157" TRACKS | 1     | D+I  |
| 8467                 | KIT RG+ 100 KBS 118" TRACKS | 1     | D+J  |
| 8468                 | KIT RG+ 100 KBS 157" TRACKS | 1     | D+J  |
| 8402                 | SET OF ACC. RG+ 100 KSC     | 1     | I    |
| 8452                 | SET OF ACC. RG+ 100 KBS     | 1     | J    |

| ROLLGLASS+ 150 SILVER |                                      |       |      |
|-----------------------|--------------------------------------|-------|------|
| Ref.                  | Description                          | Units | Img. |
| 2549                  | KIT ROLLGLASS+ 150 SILVER V12 (118") | 1     | K    |
| 2548                  | KIT ROLLGLASS+ 150 SILVER V12 (157") | 1     | K    |
| 2541                  | KIT ROLLGLASS+ 150 SILVER V10 (118") | 1     | K    |
| 2542                  | KIT ROLLGLASS+ 150 SILVER V10 (157") | 1     | K    |

| ROLLGLASS+ 150 BLACK |                                     |       |      |
|----------------------|-------------------------------------|-------|------|
| Ref.                 | Description                         | Units | Img. |
| 2565                 | KIT ROLLGLASS+ 150 BLACK V12 (118") | 1     | L    |
| 2568                 | KIT ROLLGLASS+ 150 BLACK V12 (157") | 1     | L    |
| 2560                 | KIT ROLLGLASS+ 150 BLACK V10 (118") | 1     | L    |
| 2561                 | KIT ROLLGLASS+ 150 BLACK V10 (157") | 1     | L    |

## ESP

| ROLLGLASS+ 100 SILVER |                             |    |      |
|-----------------------|-----------------------------|----|------|
| Ref.                  | Descripción                 | U. | Img. |
| 8453                  | KIT RG+ 100 KSC PERFIL 118" | 1  | A+E  |
| 8454                  | KIT RG+ 100 KSC PERFIL 157" | 1  | A+E  |
| 8463                  | KIT RG+ 100 KBS PERFIL 118" | 1  | A+F  |
| 8464                  | KIT RG+ 100 KBS PERFIL 157" | 1  | A+F  |
| 2493                  | PERFIL FALSO TECHO RG+ 118" | 1  | B    |
| 2494                  | PERFIL FALSO TECHO RG+ 157" | 1  | B    |
| 8400                  | JGO. ACC. RG+ 100 KSC       | 1  | E    |
| 8450                  | JGO. ACC. RG+ 100 KBS       | 1  | F    |

| ROLLGLASS+ 100 BRONCE |                             |    |      |
|-----------------------|-----------------------------|----|------|
| Ref.                  | Descripción                 | U. | Img. |
| 8455                  | KIT RG+ 100 KSC PERFIL 118" | 1  | C+G  |
| 8456                  | KIT RG+ 100 KSC PERFIL 157" | 1  | C+G  |
| 8465                  | KIT RG+ 100 KBS PERFIL 118" | 1  | C+H  |
| 8466                  | KIT RG+ 100 KBS PERFIL 157" | 1  | C+H  |
| 8401                  | JGO. ACC. RG+ 100 KSC       | 1  | G    |
| 8451                  | JGO. ACC. RG+ 100 KBS       | 1  | H    |


| ROLLGLASS+ 100 NEGRO |                             |    |      |
|----------------------|-----------------------------|----|------|
| Ref.                 | Descripción                 | U. | Img. |
| 8457                 | KIT RG+ 100 KSC PERFIL 118" | 1  | D+I  |
| 8458                 | KIT RG+ 100 KSC PERFIL 157" | 1  | D+I  |
| 8467                 | KIT RG+ 100 KBS PERFIL 118" | 1  | D+J  |
| 8468                 | KIT RG+ 100 KBS PERFIL 157" | 1  | D+J  |
| 8402                 | JGO. ACC. RG+ 100 KSC       | 1  | I    |
| 8452                 | JGO. ACC. RG+ 100 KBS       | 1  | J    |

| ROLLGLASS+ 150 SILVER |                                      |    |      |
|-----------------------|--------------------------------------|----|------|
| Ref.                  | Descripción                          | U. | Img. |
| 2549                  | KIT ROLLGLASS+ 150 SILVER V12 (118") | 1  | K    |
| 2548                  | KIT ROLLGLASS+ 150 SILVER V12 (157") | 1  | K    |
| 2541                  | KIT ROLLGLASS+ 150 SILVER V10 (118") | 1  | K    |
| 2542                  | KIT ROLLGLASS+ 150 SILVER V10 (157") | 1  | K    |


| ROLLGLASS+ 150 NEGRO |                                     |    |      |
|----------------------|-------------------------------------|----|------|
| Ref.                 | Descripción                         | U. | Img. |
| 2565                 | KIT ROLLGLASS+ 150 NEGRO V12 (118") | 1  | L    |
| 2568                 | KIT ROLLGLASS+ 150 NEGRO V12 (157") | 1  | L    |
| 2560                 | KIT ROLLGLASS+ 150 NEGRO V10 (118") | 1  | L    |
| 2561                 | KIT ROLLGLASS+ 150 NEGRO V10 (157") | 1  | L    |



A




B




C




D




E




F




G



H




I




J



K



L



M



N

REFERENCES / REFERENCIAS

ENG

| ROLLGLASS+ 150 TOP SILVER |                                          |       |      |
|---------------------------|------------------------------------------|-------|------|
| Ref.                      | Description                              | Units | Img. |
| 2653                      | KIT ROLLGLASS+ 150 TOP SILVER V12 (118") | 1     | M    |
| 2654                      | KIT ROLLGLASS+ 150 TOP SILVER V12 (157") | 1     | M    |

| ROLLGLASS+ 150 TOP BLACK |                                         |       |      |
|--------------------------|-----------------------------------------|-------|------|
| Ref.                     | Description                             | Units | Img. |
| 2697                     | KIT ROLLGLASS+ 150 TOP BLACK V12 (118") | 1     | N    |
| 2694                     | KIT ROLLGLASS+ 150 TOP BLACK V12 (157") | 1     | N    |

| ROLLGLASS+ 250 SILVER |                                |       |       |
|-----------------------|--------------------------------|-------|-------|
| Ref.                  | Description                    | Units | Img.  |
| 2524                  | KIT ROLLGLASS+ 250 SILVER 157" | 1     | O + R |
| 2526                  | KIT ROLLGLASS+ 250 SILVER 236" | 1     | O + R |

| ROLLGLASS+ 250 BLACK |                               |       |       |
|----------------------|-------------------------------|-------|-------|
| Ref.                 | Description                   | Units | Img.  |
| 2564                 | KIT ROLLGLASS+ 250 BLACK 157" | 1     | Q + T |
| 2566                 | KIT ROLLGLASS+ 250 BLACK 236" | 1     | Q + T |


ESP

| ROLLGLASS+ 150 TOP SILVER |                                          |    |      |
|---------------------------|------------------------------------------|----|------|
| Ref.                      | Descripción                              | U. | Img. |
| 2653                      | KIT ROLLGLASS+ 150 TOP SILVER V12 (118") | 1  | M    |
| 2654                      | KIT ROLLGLASS+ 150 TOP SILVER V12 (157") | 1  | M    |


| ROLLGLASS+ 150 TOP NEGRO |                                         |    |      |
|--------------------------|-----------------------------------------|----|------|
| Ref.                     | Descripción                             | U. | Img. |
| 2697                     | KIT ROLLGLASS+ 150 TOP NEGRO V12 (118") | 1  | N    |
| 2694                     | KIT ROLLGLASS+ 150 TOP NEGRO V12 (157") | 1  | N    |

| ROLLGLASS+ 250 SILVER |                                |    |       |
|-----------------------|--------------------------------|----|-------|
| Ref.                  | Descripción                    | U. | Img.  |
| 2524                  | KIT ROLLGLASS+ 250 SILVER 157" | 1  | O + R |
| 2526                  | KIT ROLLGLASS+ 250 SILVER 236" | 1  | O + R |

| ROLLGLASS+ 250 NEGRO |                               |    |       |
|----------------------|-------------------------------|----|-------|
| Ref.                 | Descripción                   | U. | Img.  |
| 2564                 | KIT ROLLGLASS+ 250 NEGRO 157" | 1  | Q + T |
| 2566                 | KIT ROLLGLASS+ 250 NEGRO 236" | 1  | Q + T |




O




P




Q




R





S



T

|                                                                                     |                                                   |                                                                            |
|-------------------------------------------------------------------------------------|---------------------------------------------------|----------------------------------------------------------------------------|
|  | PROFILE'S DIMENSION /<br>MEDIDAS DE LA PERFILERIA |                                                                            |
|                                                                                     | A                                                 | Longitud del perfil superior / Longitud del perfil superior                |
|                                                                                     | 1                                                 | (100/ 150) A - 0,5 mts / (250) A - 2 m                                     |
|                                                                                     | 2                                                 | A / 2                                                                      |
|                                                                                     | 3                                                 | (100/ 150) A - 0,5 mts / (250 KIT 157") A - 1 m / (250 KIT 236") A - 1,5 m |





# KLEIN

**KLEIN USA, Inc.®**  
1 Madison Street  
East Rutherford, NJ 07073

Phone: 973 246 8181  
Fax: 973 246 8362  
info@klein-usa.com  
**www.klein-usa.com**

Follow us on social media  
Síguenos en redes

